

Amendments to the Claims

Please amend the claims as follows:

1. (Currently Amended) A method comprising:
receiving a system definition and a request for dependency information;
requesting, via an application programming interface, a system dependency creation request comprising the received system definition[[,]] and a dependency request comprising a target logical abstraction; ~~and~~
receiving, responsive to the application programming interface request, a dependency collection for the target logical abstraction comprising logical abstractions in one or more dependency chains with the target logical abstraction, wherein the dependency collection comprises logical abstractions outside of a subsystem for the target logical abstraction's ~~subsystem;~~ and
displaying a representation of the collection.
2. (Original) The method of claim 1 wherein the system definition is received as a file identification.
3. (Original) The method of claim 1 wherein the system definition is received via a graphical user interface.
4. (Original) The method of claim 1 wherein the target logical abstraction is an unchanged logical abstraction.
5. (Original) The method of claim 1 wherein the dependency collection comprises logical abstractions dependent on the target logical abstraction.
6. (Original) The method of claim 1 wherein the dependency collection comprises logical abstractions on which the target logical abstraction depends.

7. (Original) The method of claim 1 wherein the target logical abstraction is a changed logical abstraction.
8. (Original) The method of claim 1 wherein the target logical abstraction comprises a basic block, a procedure, or a binary file.
9. (Original) The method of claim 1 wherein the dependency collection comprises a basic block logical abstraction.
10. (Original) The method of claim 1 wherein the dependency collection comprises at least one of a procedure logical abstraction or a binary file logical abstraction.
11. (Original) The method of claim 1 wherein the dependency collection comprises a named object logical abstraction or a node logical abstraction.
12. (Currently Amended) The method of claim 1, wherein the further comprising displaying a representation of the collection comprises ~~comprising~~ a number of affected logical abstractions.
13. (Currently Amended) The method of claim 1, wherein the further comprising displaying a representation of the collection comprises ~~comprising~~ a graphical presentation of a dependency chain.
14. (Currently Amended) The method of claim 1, wherein the further comprising displaying a representation of the collection comprises ~~comprising~~ a list of logical abstractions.
15. (Currently Amended) The method of claim 1, wherein the further comprising displaying a representation of the collection comprises ~~comprising~~ a graph of logical abstractions.

16. (Original) The method of claim 1 wherein the dependency collection further comprises logical abstractions inside the logical abstraction's subsystem.

17. (Original) The method of claim 1 wherein the logical abstraction comprises a proposed change, and a metric for indicating proposed change risk is displayed.

18. (Original) The method of claim 17 wherein the metric for proposed change risk comprises a number of logical abstractions effected by the proposed change in a relation to a total number of logical abstractions.

19. (Original) The method of claim 18 wherein the relation is further adapted with a logarithmic function.

20. (Original) A computer-readable medium having executable instructions for performing the method of claim 1.

21. (Currently Amended) A method comprising:
determining dependency information about binary files;
propagating dependency information to determine subsystem dependency information for a subsystem of a system;
propagating the subsystem dependency information to determine system dependency information for the system;
marking changed logical abstractions;
marking unchanged logical abstractions dependent on marked changed logical abstractions in other subsystems;
comparing test coverage to marked changed logical abstractions and to marked unchanged logical abstractions; and
prioritizing tests based on maximum test coverage of marked changed logical abstractions and marked unchanged logical abstractions;
performing the prioritized tests according to test priorities to produce test results.

22. (Original) The method of claim 21 wherein the test coverage comprises tests for one subsystem.

23. (Original) The method of claim 21 wherein the test coverage comprises tests for plural subsystems.

24. (Original) The method of claim 23 wherein the test coverage comprises tests for plural subsystems and maximum test coverage is considered for marked changed logical abstractions and marked unchanged logical abstractions for said plural subsystems.

25. (Currently Amended) A computer-based service comprising:
means for determining binary dependencies for a defined system;
means for propagating binary dependencies to identify binaries dependent on binaries in other subsystems;
means for storing determined and propagated dependencies;
means for marking changes;
means for propagating marked changes using the determined and propagated dependencies; and
means for prioritizing tests based on test coverage of marked changes and propagated marked changes;
means for performing prioritized tests according to test priorities to produce test results.

26. (Original) The service of claim 25 wherein the means for marking changes includes means for marking proposed changes.

27. (Currently Amended) A computer-readable medium having executable instructions for performing a method comprising:
creating a system definition in response to receiving graphical user interface input;
receiving a dependency information request via graphical user interface input;

requesting via an application programming interface exposed by a dependency framework, a system dependency creation request comprising the system definition, and a target logical abstraction identifiable from the dependency information request; and

receiving responsive to the application programming interface request, a dependency collection for the target logical abstraction comprising logical abstractions in one or more dependency chains with the target logical abstraction;

wherein the dependency collection comprises logical abstractions outside of a subsystem for the logical abstraction's subsystem.

28. (Original) The computer-readable medium of claim 27 wherein the dependency collections further comprises logical abstractions inside the target logical abstraction's subsystem.

29. (Currently Amended) A computer system comprising:
a processor coupled to volatile and nonvolatile memory;
binary files stored in memory;
software stored in memory comprising computer executable instructions for[[,]];
determining dependency information for binary files[[,]];
propagating dependency information to determine subsystem dependency
information for a subsystem of a system[[,]]; and
propagating subsystem dependency information to determine system dependency
information for the system;
marking logical abstractions changed from a previous version;
propagating marked changes according to the dependency information comprising
marking unchanged logical abstractions dependent on marked changes in other
subsystems;
comparing test coverage to marked changed logical abstractions and to marked
unchanged logical abstractions; and
prioritizing tests based on maximum test coverage of marked changed logical
abstractions and marked unchanged logical abstractions.

30. (Original) The computer system of claim 29, wherein maximum test coverage is based on the total number of marked changed and marked unchanged logical abstractions touched by a test system wide.

31. (Original) The computer system of claim 29, wherein maximum test coverage is based on the sum of the total number of marked changed logical abstractions in a first subsystem touched by a test, and marked unchanged logical abstractions touched by the test in the first subsystem, wherein the marked unchanged logical abstractions depend on marked changed logical abstractions in other subsystems.

32. (Original) A user interface service comprising:
means for accepting a system definition comprising binary files in plural subsystems;
means for accepting an indication of a target logical abstraction; and
means for displaying dependency relationships between the target logical abstraction and a set of logical abstractions in binary files from two or more of the plural subsystems.

33. (Original) The user interface service of claim 32 further comprising means for displaying a proposed change risk.

34. (Original) The user interface service of claim 32 further comprising means for displaying a change risk metric.

35. (Original) The user interface service of claim 32 further comprising means for displaying a graph of relative risk for plural subsystems.

36. (Original) The user interface service of claim 32 further comprising means for displaying test coverage evaluation results.